

Pneumatic Rockdrills

Rugged, Powerful, Reliable



Stoppers

BBD 46WS/WR

All-steel rock drill suitable for production drilling, raise driving and bolting. It has a robust ratchet wheel rotation mechanism, short stroke and good penetration rates in soft and medium-hard rock. The large diameter piston makes it very efficient even with low air pressure.

Technical Data

| Model | Weight kg | Length retracted mm | Length extended mm | Stroke length mm | Air Consumption cfm | Feeding length mm | Part No |
|-----------|--------------|---------------------------|--------------------------|------------------------|---------------------------|-------------------------|--------------|
| BBD 46WS6 | 39 | 1435 | 2205 | 45 | 159 | 770 | 8311 0202 03 |
| BBD 46WS8 | 40 | 1650 | 2620 | 45 | 159 | 970 | 8311 0202 11 |
| BBD 46WR6 | 39 | 1435 | 2205 | 45 | 159 | 770 | 8311 0202 29 |
| BBD 46WR8 | 40 | 1650 | 2620 | 45 | 159 | 970 | 8311 0202 37 |



Airline Accessories

Lubricating for a long service life

Most pneumatic machines require lubrication. The purpose of this is not only to lower friction, but also to protect against corrosion and to help seal the system.

Lubricators are designed to let atomized droplets of oil into the air flow. Suction is created by means of a controlled strangulation of the air flow. The amount of oil is checked by a regulator.

Minerals or synthetic oil can be used. Different oils can't be mixed.

Technical data - BLG 30

| | | |
|-------------------------|--------|--------|
| Max. working pressure | bar(e) | 20 |
| Air flow range | l/s | 25-134 |
| Oil tank volume | l | 1.3 |
| Recom, hose inner diam. | mm | 20-25 |

Lubricator BLG 30 is intended for mineral oil.



Mantex Hose - The hallmark of a quality hose

Mantex hose is flat when not pressurized. Rolled up, it occupies less than the space of conventional hose, and it weighs less than a third of comparably sized conventional hose without compromising safety.

Furthermore, the cord of Mantex hose is woven so that the hose, if it despite all precautions ruptures, does so longitudinally. Such a rupture still keeps the hose in one piece, eliminating the risk of very dangerous free – swinging hose ends.

Technical Data

| Hose dia. | Mantex Hose | Claw Couplings | Hose Clamp | Packings |
|-----------|--------------|----------------|--------------|--------------|
| 12.5 mm | – | 9000 0310 00 | 9000 0194 00 | 9000 0000 00 |
| 16.0 mm | – | 9000 0311 00 | 9000 0195 00 | 9001 0000 00 |
| 20.0 mm | 9030 2014 00 | 9000 0312 00 | 9000 0196 00 | 9002 0000 00 |
| 25.0 mm | 9030 2006 00 | 9000 0313 00 | 9000 0197 00 | 9003 0000 00 |

* All mantex hose is in 60 mm length



The face of commitment



...and increased productivity with

Atlas Copco Spare Parts

Your rock drill is a skillfully designed, precision-made unit. Each part is made from the right material with correct heat treatment and to the close tolerances demanded by an efficient rock drill. It is, therefore, essential that when a part wears out, it should immediately be replaced with a genuine Atlas Copco spare to ensure the efficiency of your Atlas Copco Rock Drill.

Atlas Copco Portable Compressors

Atlas Copco manufactures a wide range of portable air compressor to match our range of Rockdrills that offer excellent fuel economy & unmatched reliability. Our Air Compressor also comes in a wide range that fulfills every air demand in the industry.

Atlas Copco Drillsteels & Taper Rods

Atlas Copco offers a complete range of high quality, forged, hexagon-shanked integral drill steels and tools for rock drill applications. These Drillsteels are imported from Sweden and is of the best quality that will give you the best cot per metre. In addition, we can also offer you Taper rods and bits for suitable application for improved productivity and economy.



Atlas Copco Construction & Mining Sales (A Division of Atlas Copco (India) Ltd.)

OFFICE & WORKS :

Sveanagar, Dapodi, Pune 411 012.
Phone : (020) 27146416/17, 27144417, 27145416 Fax : (020) 27146637
E-mail : cmt.marketing@in.atlascopco.com



www.atlascopco.com

| BRANCH | ADDRESS | PHONE | FAX |
|-----------|--|--------------------------------------|----------------|
| Chennai | Race Course Road, Guindy, Chennai 600 032 | (044) 22457034 / 22456752 / 22451035 | (044) 22452047 |
| Delhi | 401-406 Vishwa Sadan, Janakpuri District Centre, New Delhi 110 058 | (011) 25617248/249/25590610/11/15 | (011) 25559344 |
| Hyderabad | 1-10-8/5, Hindustan House , Begumpet, Hyderabad 500 016 | (040) 27761143/27766372/27767405 | (040) 27762004 |
| Kolkata | 1st floor, 46, Dr. Sundari Mohan Avenue, Kolkata 700 014 | (033) 22469696/86/88 | (033) 22469710 |
| Mumbai | Mahatma Gandhi Memorial Building, Netaji Subhas Road, Mumbai 400 002 | (022) 22811063/22819260/22814670 | (022) 22819946 |
| Pune | Sveanagar, Dapodi, Pune 411 012 | (020) 27148040/ 27146416 / 7 | (020) 27148787 |



Subject to alterations without prior notice